

	Hits	Search Text	DBs
1	2901956	(encoder\$1 with data and meta\$5data) and server\$1 and services and protocols and (software with development with (kit\$1 or program\$1 or application\$1 or module\$1)) and router\$1 and (trusted near4 relationship\$1) and (interface\$1 or display\$1 or monitor\$1) and remot\$5 or imag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1	(encoder\$1 with data and meta\$5data) and server\$1 and services and protocols and (software with development with (kit\$1 or program\$1 or application\$1 or module\$1)) and router\$1 and (trusted near4 relationship\$1) and (interface\$1 or display\$1 or monitor\$1) and remot\$5 and imag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	102	(encoder\$1 with data and meta\$5data) and server\$1 and services and protocols	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	64	13 and @ad < "20030407"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	94	router\$1 and (trusted near4 relationship\$1) and (interface\$1 or display\$1 or monitor\$1) and remot\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	197954	(develop\$4 with (kit\$1 or program\$1 or application\$1 or module\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	0	14 and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	42	15 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	21	19 and @ad < "20030407"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	16	110 and encod\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	3	111 and meta\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	3	l12 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	3	l13 and protocol\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	3	l14 not 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB